

ENERGIZED LEARNING

First-year Start-up Report

http://www.lbl.gov/Education/CSEE/el_site/index.html

December 20, 2002

Evan Mills

Originator and Technical Lead
Environmental Energy Technology Division, LBNL

Rollie Otto

Curriculum Development and Deployment
Head of the Center for Science & Engineering Education, LBNL

Shannon Magee

Web Design

Computer Systems Engineer for the Center for Science & Engineering Education, LBNL

Home Energy Saver Developers

Interactive web calculator and virtual laboratory

Teacher Collaborators

Mai Sue Chang

Student Participant from the Pre Service Teacher Program

Michael Thibodeau

Pre-service Teacher Program Coordinator

Mary Carabell

Sir Francis Drake High School

Student Collaborators

Eli Marienthal

Berkeley High School

Fall Semester 2002 Environmental Academy

Sir Francis Drake High School

Sponsors

U.S. Department of Energy, Office of Building Technologies


U.S. Department Office of Science

Collaboration with Sir Francis Drake High School

“I was very impressed with the power of the program and would especially like to work in the statistics aspect as a class activity.”

– Mary Carabell, Teacher




“I thought the entire process was very positive and we should find a way to promote it to everyone possible.”- Student



Group	Energy Bill	Floor Area (sq ft)	# Occupants
Emily Spinach	600	1050	7
Smurfs	1100	1260	4
SuperKristo!	1700	1100	5
Team Fusion	2000	2400	6
Gabina Group	2100	2200	6
Team Extreme	1300	2100	5
Team Ace	1500	1500	4
Suzlie	1300	1890	5
TANYA	1400	2000	3
Sophia	900	1200	3
Mean	1478	1739	5
SD ("sigma")	465		
CV (or %SD)	31%		



Meeting the Secretary of Energy, Spencer Abraham!



CONTENTS

WELCOME TO ENERGIZED LEARNING	2
FROM THE LAB TO THE CLASSROOM	3
ACCOMPLISHMENTS IN FY02	3
COLLABORATIONS	3
WEBSITE DESIGN AND IMPLEMENTATION	5
NEXT STEPS	6
APPENDIX A. SAMPLE LESSON: GETTING STARTED	7
APPENDIX B. SIX POTENTIAL NEW LESSONS	17
APPENDIX C. LINKAGES BETWEEN ENERGIZED LEARNING AND THE AAAS BENCHMARKS FOR SCIENCE LITERACY ERROR! BOOKMARK NOT DEFINED.	

Welcome to Energized Learning

The *Energized Learning* web site is designed for middle and high school students, their teachers and their parents. The site includes lessons and activities that develop specific skills and knowledge students are expected to learn in science, mathematics, economics and social sciences and politics. Energy supply, conversion and use is central the quality of life for all people. It is our hope that students, teachers and parents will develop a better understanding of energy and its complex interrelationships.

Mathematics, science, economics, social and political science teachers will find a list of student lessons and activities with keys to subject matter standards. As students work through the standards-based lessons they are exposed to the following five concepts:

- Energy and the environment are linked – students will compare the amount of carbon dioxide, a greenhouse gas, emitted to the atmosphere as a result of energy use choices in their homes.
- Quality of life can be increased without increasing energy use – students analyze the impact of energy efficient options for services, such as lighting and heating that provide for conveniences, comfort, and entertainment
- Achieving energy efficiency is an investment, not an expenditure – students analyze the impact of energy efficient investments on their annual energy costs.
- Understanding and managing energy use requires concepts and information from many areas – Students learn that planning for an energy efficient future involves knowledge of science, mathematics, economics and social science.
- Modeling (e.g. with computer simulation tools) is central to science, but can have severe limitations. “The map is not the territory.” Scientists who use models need to have a healthy skepticism about their predictive power.

At the core of the Energized Learning site is an interactive Web-based energy calculator and home energy audit toolkit developed by the US Department of Energy scientists at the Lawrence Berkeley National Laboratory. The Home Energy Saver (<http://hes.lbl.gov>) is a consumer-oriented tool used in predicting residential building performance. The Energized Learning web interface makes the Home Energy Saver available, for the first time, for use in the classroom.

This report describes the initial phase of work. Considerable progress was made, including launch of a preliminary website and several interactions with high school students and teachers to help refine the product. We developed, tested, and implemented a detailed lesson, with student and teacher support materials, and conceptualized a set of follow-up lessons. LBNL’s Center for Science and Engineering Education became an active partner in the project, and contributed considerable in-kind resources to leverage the resources from BTS. CSEE’s work is funded by DOE’s Office of Science.

From the Lab to the Classroom

Energized Learning is rooted in a collaboration between two groups at LBNL: The Environmental Energy Technologies Division (EETD) and The Center for Science and Engineering Education (CSEE). EETD's activities span R&D on energy efficiency and the relationship between energy use and the environment. CSEE conducts a broad spectrum of education activities at the Laboratory, guided by the following goals:

- To promote equal access to scientific and technical careers for all students, including women, minorities, the handicapped and economically disadvantaged
- To improve the quality of science and engineering teaching by supporting increased classroom emphasis on the scientific process and frontier science and technology
- To increase the number of U.S. students who become scientists and engineers by developing and implementing strategies to provide continuity of opportunity from elementary through graduate school.
- To promote scientific literacy, including an understanding of the relationships among frontier science, technology and society.

Accomplishments in FY02

- Developed the “Energized Learning” core concept
- Designed the initial “Getting Started” lesson (Appendix A) and sketched out follow-on lessons (Appendix B)
- Documented ways in which Energized Learning supports Education Standards, including the AAAS Benchmarks for Science Literacy (Appendix C)
- Created and launched the Energized Learning website
- Conducted pilot tests with students and teachers from Bay Area High Schools

Collaborations

We sought involvement of students and teachers in developing the concept and materials.

- *Eli Marienthal*, student at Berkeley High School, participated in early discussions and helped craft the exercises (lessons) described in Appendix B. Eli worked through these exercises and presented them to his class.


- *Mai Sue Change* is completing her training as a High School teacher at Fresno State University and came to LBNL under the DOE's Pre-service Teacher's program (see <http://www.scied.science.doe.gov/scied/PST/about.htm>). Mai Sue helped to further refine the Lessons and to map the lessons onto Education Standards for Mathematics.
- *Michael Thibodeau*, high school teacher, worked at LBNL in the summer of 2002 helping to coordinate the pre-service teacher program. The project benefited considerably from his experience at providing science education at a high school level.
- *A briefing was made to several teachers during the LBNL Open House.* Feedback was received on the Energized Learning concept.
- We conducted an in-depth test of the initial Lesson with approximately 20 students from *Sir Francis Drake High School*, guiding the students through the Lesson. Feedback received from the students and teachers is being incorporated in the site and lesson design. The students also had a rare opportunity to meet the Secretary of Energy, who happened to be visiting the Laboratory that day.

Website Design and Implementation

The initial version of the site contains areas for Students and Teachers, and can be viewed at http://www.lbl.gov/Education/CSEE/el_site/index.html

The student's side offers an archive of lessons (Appendices A currently and ultimately more such as those delineated in Appendix B), links to research information, a how-to video, a glossary of energy-efficiency terminology, etc.

The teachers' side offers notes on implementing the lessons and support material such as PowerPoint slides and downloadable Excel templates for collecting and analyzing data.



Next Steps

Given the very positive feedback received from students and teachers, we would welcome the opportunity to enhance and expand Energized Learning in FY03.

Following are some specific ideas:

- Building on the success with our “Getting Started” lesson, a natural next step would be to build additional lessons and post them on the web site. Examples are shown in Appendix B. The Lessons should have variations for standard and advanced-placement students.
- Develop additional Teacher Resource materials. The availability of ready-made and convenient resource materials provides a huge inducement for teachers to utilize resources such as Energized Learning. Also needed is a “How-To” guide to help teachers learn to use the Home Energy Saver.
- Conduct additional pilot tests in actual classrooms. Gather feedback on the usability of the site and interest in the material.
- Support new LBNL program for bringing high schools to the Laboratory on tours. Conduct two-hour “clinics” in which students receive instruction on Energized Learning.
- Collaborate with LBNL’s 2003 Summer Teacher’s Program, using the opportunity to train teachers to train their peers in the use of Energized Learning
- Develop content to create continuity between 12th grade and community colleges, i.e. support students who will not go to Universities but are interested in modest vocational education in the area of energy and building management.
- Make technical improvements to the HES website so that it will better serve the education community. Examples include password-protected accounts to allow teachers to review student’s work; addition of apartment-type construction (many students live in apartments). Another example would be to add a centralized database into which students from around the country can enter their household energy data. Students and teachers could subsequently “mine” this data using statistical techniques.

Appendix A. Sample Lesson: Getting Started

You will begin by establishing an account in the Home Energy Saver (<http://hes.lbl.gov>) and printing your first records for analysis and comparison of energy use and efficiency as you change your home's description, services, and energy efficiency levels. All you need to get started is your zip code...

- 1• Please read the information on the home page for the Energized Learning web site:
http://www.lbl.gov/Education/CSEE/el_site/index.html

You will be asked to say what you know about the five overall concepts about energy efficiency.

- 2• From the Energized Learning home page, go to The Home Energy Saver Web site and enter your Zip Code. You will obtain your first estimated energy use information for a typical house in that zip code area

- 3• Select "customize for my home" Make the best estimates you can to answer the questions. Don't worry about mistakes or approximations; you will be able to modify and improve your input later. Click on "estimate energy use." Print the resulting page, which now contains your "session number". Keep this page for future reference. Click on the "carbon emission or energy consumption" link and print the resulting page. This should take no more than 10-15 minutes.

- 4• The teacher will discuss the meaning of the information on these pages.

- 5• Here are some questions to think about and discuss.

- What are the sources of emissions (combustion of fossil fuels)
- Can you name some of the sinks for CO₂? (Photosynthesis, oceans, others)
- Why is CO₂ listed as a pollutant in the Home Energy Saver (Greenhouse gas that has the potential to cause climate change)

- 6• You will now have about 25 minutes to make changes to your house so that it more accurately describes your home. Print your results and "carbon emission or energy consumption" results.

- 7• Now its time to select one or more upgrades to make your house more energy efficient and recalculate the whole-house energy costs, requirements and pollution. Print your results. You now have three sets of data to compare.

- 8• What is different before and after the upgrade(s)? What impact can you expect on your quality of life and energy use? Would you consider energy efficiency an investment in services or an added expense in your household budget?

- 9• Now you should click on and print your "Whole House Configuration" and keep these for further reference.


- 10• You will use your data and your classmates' data to explore the effect of variations and trends in energy requirements. Your teacher will discuss the concept of “data normalization” and guide you in preparing “scatter diagrams” and discussing how to interpret them.
- 11• Consider what factors may be responsible for the trends that emerge from the data?
- 12• Note the range of concepts and information required to predict energy use.
- 13• As a class, compare your views about the five energy efficiency concepts with your views at the beginning of the class.
- 14• Close the Browser Window and save your results for another session.

Send us your feedback and suggestions! (<mailto:emills@lbl.gov>)

ADDITIONAL EXERCISES & EXPERIMENTS

1. Analyze the “outliers” in the scatter diagrams. What are possible physical reasons for the outliers? Could errors in either the computer program or the user inputs be involved? If so, what kinds of errors? How do the statistical metrics (standard deviation and % standard deviation) change if the outliers are removed?
2. Run a series of calculations progressively increasing your ceiling insulation and draw a graph of the results. What does the graph suggest?
3. Find the equation of a line (least-squares fit in the form $ax+b$) through the correlation diagrams. This is a simplified “model” for predicting energy use in homes. What is the y-intercept, and what does it represent? How accurate would this model be?
4. Create your “dream home”, which may be larger and/or have more gadgets and thus use more energy. Find ways to improve the efficiency (e.g. more insulation) so that energy use is no higher than the home you currently live in.
5. Go on the web and find 10 images of the carbon cycle (Hint: do a Google image search). Compare and contrast the images and discuss their strengths and weaknesses both in terms of completeness and method of graphically telling the story.
6. Look at the chart below and discuss the possible reasons for the large variability in predictive power of energy audit tools.

Deviation of Predicted Bills from Actual: Web-based Tools



Source: Mills, E. 2002. "Review and Comparison of Web- and Disk-based Tools for Residential Energy Analysis." Lawrence Berkeley National Laboratory Report No. 50950. <http://eetd.lbl.gov/emills/PUBS/SoftwareReview.html>

Getting Started for Teachers

Lesson Plan

Students establish an account in The Home Energy Saver Web site and obtain their first printed records predicting their homes energy use and energy saving options...

Pre-class work: Have students run their homes through the Home Energy Saver before class. Work with parents to answer questions. Obtain separate results for both the simple level (“Customize for my Home”) and the more detailed screens that follow it. These two sets of results will be compared in class during the statistical analysis. If this is done, steps 2-3 and 6 below can be skipped.

•**1**• Students read the information on the home page for the Energized Learning web site (5 minutes).

•**T1**• Teacher asks the student to say what they know about five concepts that they will see repeatedly as they do standards-based lessons.

•**T2**• Teacher records the answers on the board (5-7 minutes).

•**2-3**• Students go to the Home Energy Saver Web site, enter their Zip Code and obtain their first estimated energy use information. Student then selects "customize for my home" and input their best estimates to the questions. Students should print the resulting page, which now contains their "session number". Student should click on the "carbon emission or energy consumption" and print the resulting page." *(To allow more time for discussion in class, this can “pre-lab” can be done at home)*

•**4**• Teacher leads a discussion of the meaning of the information on the pages, first taking questions and then guiding students to note the various factors that they can change to get the most accurate description of their house.

•**T1**• Teacher leads a discussion of the CO₂ emissions.

•**5**• Student should discuss what they know about the following questions. This can be done several ways. Have the students pair up in groups of 2 or 3 for five minutes and then offer answers based on their group discussion. Or Teacher leads an full group discussion guiding and recording key points.

Students should discuss the following:

- What are the sources of the emissions (combustion of fossil fuels)?
- Can the students name some of the sinks for CO₂? (Photosynthesis, oceans, others)
- Why is CO₂ listed as a pollutant in the Home Energy Saver (Greenhouse gas that has the potential to cause climate change)

- T2**• The teacher graphs the distribution of answers and discusses sources of variation and the value of data-normalization techniques. Discuss the meaning and use of Standard Deviation.

- 6**• Students now are given about 15 minutes to make changes to their house so that it more nearly reflects their home. Students print their Whole House Configuration and the details of their whole house annual energy use. *(To allow more time for discussion in class, this can “pre-lab” can be done at home)*
- 7**• Students select one or more upgrades to make to their house and recalculate the whole house energy costs, requirements and pollution. Students should print their main results (bar charts) and the "carbon emission or energy consumption". They should now have three sets of data to compare.

- 8-9**• Teacher leads discussion based on the differences they get before and after the upgrade and it's impact on their quality of life and energy use. Teacher then leads a discussion on energy efficiency as an investment.

- Collect the data (e.g. in Excel Spreadsheet) and send to the Energized Learning team, who will merge it into a larger database that can be downloaded from the website and further analyzed in classroom projects.*

- 10**• Teacher leads a discussion to explore the effect of variations and trends using the students' data and an Excel spreadsheet.

- 11-12**• Teacher discusses the factors that would cause the trends observed in the data, noting the range of concepts and information that would be required to predict energy use.

- 13**• Students suggest additions and modifications to their original knowledge of the five concepts that were recorded on the board at the beginning of the session.

- 14**• Teacher leads a discussion of activities or questions that students would like to explore next.

- 15**• Students should close the Browser Window and save their results for another session.

ADDITIONAL EXERCISES & EXPERIMENTS

1. Analyze the “outliers” in the scatter diagrams. What are possible physical reasons for the outliers? Could errors in either the computer program or the user inputs be involved? If so, what kinds of errors? How do the statistical metrics (standard deviation and % standard deviation) change if the outliers are removed?

- **Teacher Tools: Stress the importance of handling outliers in science. Sometimes they have an important message; other times they are “noise”**

2. Run a series of calculations progressively increasing your ceiling insulation and draw a graph of the results. What does the graph suggest?

- **Teacher Tools: The graph will show “diminishing returns”, i.e. less and less energy is saved as the insulation gets increased. This suggests that there is probably some sort of optimal level of insulation, beyond which the extra investment would not be justified based on the extra (“incremental”) energy saved.**

3. Find the equation of a line (least-squares fit in the form $ax+b$) through the correlation diagrams. This is a simplified “model” for predicting energy use in homes. What is the y-intercept, and what does it represent? How accurate would this model be?

- **Teacher Tools: Use this as a way of introducing “linear regression” concepts and techniques. This can also be done using Excel’s “Chart > Add trendline” function. The slope can be found by inspection. The point at which the line intersects the y-axis reflects a house of zero size or zero occupancy (depending which chart is used). This could include things such as fridges that are required irrespective of house size or occupancy.**

4. Create your “dream home”, which may be larger and/or have more gadgets and thus use more energy. Find ways to improve the efficiency (e.g. more insulation) so that energy use is no higher than the home you currently live in.

- **Teacher Tools: This should support the second of the five overarching objectives, i.e. quality of life (e.g. house size) needn’t be compromised to save energy. However, true “conservation” does involve managing things like house size, whereas “efficiency” does not focus on the amount of services consumed.**

5. Go on the web and find 10 images of the carbon cycle (Hint: do a Google image search) Compare and contrast the images and discuss their strengths and weaknesses both in terms of completeness and method of graphically telling the story.

- **Teacher Tools:** Use this as an opportunity to discuss data visualization and visual communication of science, and to discuss searching for information on the Internet. Note the many weaknesses of the illustrations. What does the source of the illustrations say about their biases or orientations?
6. Look at the chart below and discuss the possible reasons for the large variability in predictive power of energy audit tools.

(See Students version of Lesson for Chart)

- **Teacher Tools:** Study the referenced publication, focusing on the section describing sources of error and disagreement among tools. Use this as a basis for student discussion.

ENERGIZED LEARNING RESULTS: RAW DATA & ANALYSIS

Input Values

Calculated Values

FORMULAS: Data Data Data C/E C/D

Original Scenarios

Group	Energy Bill	Floor Area (sq ft)	# Occupants	Energy \$ / Occupant (\$/year-occupant)	Energy \$ / Floor Area (\$/year-sq ft)
1	600	1050	7	86	0.57
2	1100	1260	4	275	0.87
3	1700	1100	5	340	1.55
4	2000	2400	6	333	0.83
5	2100	2200	6	350	0.95
6	1300	2100	5	260	0.62
7	1500	1500	4	375	1.00
8	1300	1890	5	260	0.69
9	1400	2000	3	467	0.70
10	900	1200	3	300	0.75
Mean	1478	1739	5	329	0.88
SD ("sigma")	465		99	99	0.28
CV (or %SD)	31%		30%	30%	32%

This is the average of the entries:
This is the "Standard Deviation, SD":
This is SD/Mean:

Input Values
Calculated Values

FORMULAS: Data Data Data C/E C/D

Refined Scenarios

Group	Energy Bill	Floor Area (sq ft)	# Occupants	Energy Cost / Occupant (\$/year-occupant)	Energy \$ / Floor Area (\$/year-sq ft)
1	900	1050	7	129	0.86
2	1100	1260	4	275	0.87
3	1000	1100	5	200	0.91
4	2300	2400	6	383	0.96
5	2150	2200	6	358	0.98
6	2100	2100	5	420	1.00
7	1450	1500	4	363	0.97
8	1600	1890	5	320	0.85
9	1800	2000	3	600	0.90
10	1000	1200	3	333	0.83
Mean	1611	1739	5	361	0.92
SD ("sigma")	530		127	127	0.06
CV (or %SD)	33%		35%	35%	7%

This is the average of the entries:
This is the "Standard Deviation, SD":
This is SD/Mean:


Variations (Actual/Mean)
C(n)/C17 F(n)/F17 G(n)/G17

	Raw E (% of mean)	E/Occupant (% of mean)	E/FA (% of mean)
1	41%	26%	65%
2	74%	84%	99%
3	115%	103%	175%
4	135%	101%	94%
5	142%	106%	108%
6	88%	79%	70%
7	102%	114%	113%
8	88%	79%	78%
9	95%	142%	79%
10	61%	91%	85%


Variations (Actual/Mean)
C(n)/C17 F(n)/F17 G(n)/G17

	Raw E (% of mean)	E/Occupant (% of mean)	E/FA (% of mean)
1	61%	39%	97%
2	74%	84%	99%
3	68%	61%	103%
4	156%	117%	108%
5	145%	109%	110%
6	142%	128%	113%
7	98%	110%	109%
8	108%	97%	96%
9	122%	182%	102%
10	68%	101%	94%


Students from Drake High School



Energy Bills v. Number of Occupants



Energy Bills v. House Size



APPENDIX B. Six Potential New Lessons

1. The Power of Unit Conversions for Environmental Analysis

CORE PROBLEMS:

A. Convert pounds of CO2 to cubic meters

Problem Statement: Rollie and Thanh are working on this; including some science standards

Solution: Rollie and Thanh are working on this; including some science standards

B. Car versus house exercise

Problem Statement: Determine the fuel use of a car and convert to CO2. Express as a percentage of emissions for your house.

Solution: Miles/year x gallons/mile = gallons/year
Emissions factor (carbon/gallon) * gallons/year = carbon/year
For comparison, carbon/year for a house comes from HES results page.
Additional unit conversions can be done for metric->English, e.g.
HES result is in pounds.

C. Energy mixes

Problem Statement:

- i. Convert gallons of heating oil to carbon per million BTUs
- ii. Convert therms of natural gas to " " "
- iii. Convert kWh of electricity to " " "
- a. electricity generation mix in terms of % coal; % oil, % hydro, % nuclear

Problem Statement: How does the overall carbon/kWh change for different mixes of input fuels?

D. Calculate global carbon-dioxide emissions, given global use of various fuels.

Problem Statement: Calculate the global carbon dioxide emissions for global energy use

energy type	global use (2000)	Emissions factor
Oil	ABC millions of barrels per day	xxx kg/joule
Natural Gas	DEF trillion cubic feet per year	yyy kg/joule
Coal	GHI billion short tons per year	zzz kg/joule

Solution: Using unit conversions, change each of the "raw energy" values into annual energy use (joules) and then into carbon emissions.

Background links & readings:

U.S. Environmental Protection Agency Global Warming Site
<http://www.epa.gov/globalwarming/>
<http://www.epa.gov/globalwarming/kids/index.html>

EXTRA CREDIT:

Look up the energy use and population for the following countries: The United States, Sweden, Poland, China, Nigeria, Brazil.
Calculate the annual carbon emissions per capita.
Discuss the reasons for the differences you observe

2. How Big is Your Carbon Bubble?

CORE PROBLEMS:

A. Size of various shapes (cones, cubes, spheres) for a given amount of carbon dioxide; same for carbon.

Problem Statement: Review the equations for the volume of various shapes; calculate dimensions assuming filled with a given amount of carbon or carbon dioxide. Recalculate dimensions if filled with student's home's annual emissions of CO₂, per HES.

Solutions:

B How large is the "Carbon Bubble" for your home?

Problem Statement: Use the Home Energy Saver to describe your home and determine the annual carbon dioxide emissions. Translate those emissions into a spherical volume and determine the size. Mai Sue can develop the details based on our "Carbon Bubble" formulas and any other mathematics or chemistry she would like to introduce to increase relevance to the National Education Standards and/or AAAS Benchmarks

Background links & readings: Introduction to the greenhouse effect.
The Greenhouse Effect. Science and integrity (e.g. letter from 18,000 "scientists")
The "skeptics" and "naysayers"
Impact of climate change on ecosystems (IPCC material)
National Oceanic and Atmospheric Administration (NOAA) website on climate change
<http://www.ngdc.noaa.gov/paleo/globalwarming/home.html>

EXTRA CREDIT:

C. Critical thinking about the atmosphere, climate, weather, earth-atmosphere interactions.

Problem Statement: Study the 100-year chart of atmospheric CO₂ concentrations over the past century.

- Why does it vary in a sawtooth-type of pattern within each year?
- What would the chart look like if there were zero CO₂ emissions from human activities?
- What is the difference between weather and climate?

<http://www.epa.gov/globalwarming/kids/climateweather.html>


<http://www.ngdc.noaa.gov/paleo/globalwarming/paleo.html>

Solutions: a. There is an annual cycle of increased and decreased carbon dioxide concentrations. Concentrations decrease during springtime, when plants are growing and absorbing carbon from the atmosphere. Concentrations increase again in the winter as deciduous trees lose their leaves, grasses turn brown, etc, and their carbon is released to the atmosphere.

b. Without human carbon emissions, the chart would be a horizontal "sawtooth" pattern, rather than an upward-sloping one.

c. Climate is the long-term average manifestation of weather. Changing weather does not necessarily mean changing climate.

Atmospheric CO₂ concentrations in parts per million, Mauna Loa, Hawaii. Source: C.D. Keeling & T.P. Whorf, Scripps Institute of Oceanography. Data available from the Carbon Dioxide Information Analysis Center (CDIAC).



Using Geometry and Chemistry to Calculate the "Carbon Bubble"* for Your Home

---> Putting together geometry, chemistry, and environmental science...

Evan Mills, LBNL, 14-Jan-2002

* [The "Carbon Bubble" is the size of a sphere required to contain all of the annual carbon-dioxide emissions associated with your home's annual energy use, at the same CO2 concentration as was present in the pre-industrial atmosphere.]

- Q1. What is the volume of one kilogram of carbon dioxide (CO2) emissions (in cubic meters)**
Q2. How many cubic meters of CO2 are emitted to the atmosphere from the energy used by your house in one year, adjusting for natural (pre-industrial) concentrations of CO2 at 275 parts per million (ppm)?
Q3. How large is your carbon bubble (diameter of the equivalent sphere, in meters; and volume, in cubic meters)?
Q4. How large is your carbon bubble compared to the size of your house?
Q5. How do the emissions associated with your house compare to those of the typical car?
Q6. How large is the "carbon bubble" representing annual emissions of all U.S. households, assuming your house is average?

Inputs

Home Energy Saver Carbon Emissions Output **14,000** pounds/year
 House Size **2,000** square feet

Useful Variables & Conversion Factors

Gas constant 22.4 liters/gram-mole (at STP, Standard Temperature and Pressure)
 Molecular weight of Carbon 12 grams per gram-mole
 Molecular weight of Oxygen 16 grams per gram-mole
 Molecular weight of CO2 44 grams per gram-mole: 1 carbon (12) + 2 oxygens (16+16) = 44
 Ratio of CO2 to other atmospheric gasses 0.000275 275 parts per million / one million (at pre-industrial concentrations)
 Pi 3.1416
 pounds/kilogram 2.2046
 feet per meter 3.2810
 liters per cubic meter 1,000
 square feet per square meter 10.76

Basic Formulas

Diameter of a sphere 2 x radius
 Volume of a sphere $\frac{4}{3} \times \text{Pi} \times r^3 = \frac{4}{3} \times 3.1414 \times r^3$

Q1. What is the volume of one kilogram of carbon dioxide (CO2) emissions (in cubic meters)?

Liters (volume) per gram of CO2 emissions 0.509 liters/gram-mole (gas constant) x (1/atomic weight) = 22.4 liters/gram-mole x (1 gram-mole/44g)
 Liters CO2 per kilogram CO2 509 liters/gram x 1000 grams/kilogram = liters/kg = M x 1000 = 0.509 x 1000
A1. Cubic meters CO2 per kilogram **0.509** liters/ kilogram x 1m3/1000 liters = cubic meters = N/1000 = 509/1000

Q2. How many cubic meters of CO2 are emitted to the atmosphere from the energy used by your house in one year, adjusting for natural (pre-industrial) concentrations of CO2 at 275 parts per million (ppm)?

weight of emissions 14,000 pounds of pure CO2
 weight of emissions 6,350 kilograms of pure CO2
A2a. Volume of annual CO2 emissions **3,233** cubic meters of pure CO2
A2b. Volume at pre-industrial concentrations **11,756,035** cubic meters
A2c. Volume at pre-industrial concentrations **415,029,897** cubic feet

Output from hes.lbl.gov
 = P/G = ___ pounds/2.2
 = QxO = kilogramsx0.509 liters/kilogram
 = QxO/E = volume
 = kilograms CO2 x m3CO3/kg
 x 10^6 parts air / 275 parts pure CO2
 = SxHxJ = cubic feet of CO2 emissions/year

Q3. How large is your carbon bubble (diameter of the equivalent sphere, in meters; and volume, in cubic meters)?

Diameter
 Volume of a sphere in terms of radius, "r"
 $V = \frac{4}{3} \times \text{pi} \times r^3$
 $r^3 = (V \times 3) / (\text{Pi} \times 4)$
 $r = [(V \times 3) / (\text{Pi} \times 4)]^{1/3}$
 Sphere radius as a function of CO2 emissions
 $r = [(m3CO2 / \text{pi} \times 3) / (4 \times \text{Pi})]^{1/3} = r = \text{meters}$
A3. Sphere diameter **141.06** = [(S/F) x (3/4)]^(1/3) = r = radius = meters
282 = W x K = d = diameter = meters
926 = X x H = diameter = feet

Q4. How large is your carbon bubble compared to the size of your house?

House size 186 = area in square feet x m2/ft2 = ft2 x 1m2/10.76ft2 = area = m2
 House volume 465 = floor area (in square meters) x 2.5 meters (height) x number of floors = volume = m3
A4. Ratio **25,299** = S/AC = (unitless ratio)

Q5. How do the emissions associated with your house compare to those of the typical car?

Emissions factor for gasoline 19.6 pounds CO2 per gallon of gasoline
 Miles driven per year 10,000
 Miles per gallon (fuel economy) 20
 Gallons per year 500 gallons of gasoline per year
 Emissions per year 9,782 pounds of CO2
 Emissions per year 4,437 = A1/G = ___ pounds CO2/2.2046 = kilograms of CO2
A5. Ratio of House Emissions to Car Emissions **1.4** = Q/AJ = number of "cars" corresponding to house-related emissions (unitless ratio)

Source:
www.eia.doe.gov/oiaf/1605/factors.html

Q6. How large is the "carbon bubble" representing annual emissions of all U.S. households, assuming your house is average?

Volume for single home 11,756,035 cubic meters From row S, above
 Volume for 100 million homes 1.2E+15 cubic meters
 $r = \text{radius} = [(V \times 3) / (\text{Pi} \times 4)]^{1/3}$ From row V, above
 65,472 = [(3xAM)/(4xF)]^(1/3) = r = meters
 130,944 = W x K = d = diameter = meters
 429,629 = AP x H = diameter = feet
81 Diameter = miles

3. Energy Services -- a central concept!

Energy is only a means to an end. For example, it's a way to get light for reading or to keep food fresh (by refrigeration). Scientists call these "ends" energy services. As you can imagine, using energy more efficiently means less energy used to get a particular service.

One way to observe this is to study historical patterns of economic growth and compare them to the use of energy over those same periods. For most parts of the world, the trend is that energy demand began to grow more slowly than the economy <FIGURE>. Thus, society figured out how to get more energy services (in this case, measured in terms of economic activity) from a given amount of energy. It was formerly believed that in order to have economic growth, more energy had to be used. Now, it is understood that this is not necessarily the case.

Let's look at the case of lighting.

About 2 billion people in the world today lack electricity. They use enormous amounts of kerosene each year to provide flame-based lighting. This translates into about 1.7 million barrels of oil per day, or \$50 billion per year!

CORE PROBLEMS:

A. Comparing energy services, energy use, and energy cost for lighting in the industrialized and developing world.

Problem Statement: efficiency "compact fluorescent" lighting

Solutions: Results shown in table below. Mai Sue to organize into a formal exercise.

	Compact Fluorescent Lamp	Simple Kerosene Lamp	Units	Comment
Assumptions				
Energy price	10 c/kWh	\$0.50/liter		
Energy consumption	15 Watts	0.05 liters/hr		
Energy services provided	975	10	lumens	
Ratio	98		:1	CFL provides nearly 100-times more light output
Primary Energy Consumption				
Electricity	10.47		MJ per kilowatt-hour	
Kerosene		37.6	MJ per liter of kerosene	
Energy per equal service (975 lmn)	0.015	4.875	kWh or liters	
MJ per service (975 lumen-hours)	0.15705	183.3	MJ	
Ratio		1167	:1	Kerosene lamp requires 1167-times more energy to deliver a unit of services (lumens)
Cost per unit of energy services				
Operating time for equal service	1	98	hours	Operating time to generate a set amount of light output (975 lumens, in this case)
Services	975	975	lumen hours	
Cost for equal service	\$0.0015	\$2.44	\$/lumen-hour	Cost for providing set amount of light output
Ratio		1,625	:1	Kerosene lamp costs 1625-times more than CFL to deliver the same level of energy service (975 lumen hours)

Background links & readings: Holdren Scientific American Article: Energy in Transition

Fuel-based lighting: Large CO2 Source

http://195.178.164.205/IAEEL/iaeel/news/1999/tva1999/NatGlob_a_2_99.html

Fuel-based Lighting in the Workplace

http://195.178.164.205/IAEEL/iaeel/news/2000/ettva2000/NatGlob_b_1-2_00.html

Jaws

EXTRA CREDIT:

Discuss why the rate of US energy use grew at the same speed of the economy up until the early 1970s and then slowed compared to the economy. (use IPCC chart)

How can people in the developing world be helped to get more services (illumination) for the money they spend?

4. Shrinking Your Carbon Bubble

A. Compare your house to average (in terms of carbon bubble, using HES)

- i. explain the differences

B. How large would the carbon bubble be if your home was in Alaska or Florida?

- i. Find ways to shrink the bubble for these two locations

C. Find ways to shrink your carbon bubble

Problem Statement: Redo for your dream home (in any city)

Does the home have a larger or smaller carbon bubble than your current home?

Find ways to reduce the size of your Dream Home Carbon Bubble

Solutions: The "Dream Home" bubbles will likely be larger because the houses will be larger, have pools, etc. The choice of climate might also affect it. Student is to think about the driving factors and how to compensate for them (e.g. more insulation).

D. Compare results (bubble sizes for your current house) to those that other students in the class found

- i. statistics, gaussian distributions, standard deviations, means, medians
- ii. normalization to reduce spread (e.g. carbon/square meter; carbon per person; carbon per person per square meter....)

Background links & readings:

Energy R&D funding history; discussion

EXTRA CREDIT:

Compare the results obtained with HES to your home's actual energy bills over one year. Explore and discuss the sources of the differences.

Using HES, change the microclimate around your home and evaluate the impacts on energy use.

Identify ways in which the government has promoted energy efficiency

5. Investing in Energy Efficiency

To improve the energy efficiency of a home sometimes (but not always!) requires some investment. It might be an investment in more insulation, a better fridge, or new lighting.

We can think of this as an "investment" rather than an "expense" because in return the home's occupant gets a lower energy bill that helps pay for the initial cost of making the efficiency improvements.

It's important to know how much to invest in saving energy. Investing too little means sky-high energy bills every month; investing too much may mean many years to get your money back.

This can be studied using cost-effectiveness formulas.

CORE PROBLEMS:

A. Lifecycle Cost

Problem Statement: TBD

Solutions: TBD

Background links & readings:

EXTRA CREDIT:

APPENDIX C. Linkages between Energized Learning and the AAAS Benchmarks for Science Literacy

MAPPING OF ENERGIZED LEARNING PROJECTS AND CONCEPTS TO THE AAAS BENCHMARKS

Evan Mills
Lawrence Berkeley National Laboratory
Draft of July 6, 2002

This matrix lists the grade 9-12 Benchmarks from "Benchmarks for Science Literacy" (AAAS). The columns show the five project areas proposed for Energized Learning. The corresponding "cells" are shaded to indicate whether or not there is a connection between a given benchmark and one or more of the projects. The areas shaded by dark green are directly cultivated by the projects. Light green areas have a potential connection that could be developed independently by the instructor or in future versions of Energized Learning.

<http://www.project2061.org/loos/benchmark/frame.htm>

	Project 1 Unit Conversions	Project 2 Carbon Bubble	Project 3 Energy Services	Project 4 Energy Efficiency	Project 5 Economics
Fuel mtk -> Carbon		Carbon -> Various shapes	Incandescent lighting vs. kerosene	Location Scenarios	Lifecycle costs
CO2 -> Volume		Your House		Efficiency Scenarios	
Car vs. House		Dream House		Compare to those of other students	
KEY:					
No connection					
Firm connection					
Potential connection					

Scientists assume that the universe is a vast single system in which the basic rules are the same everywhere. The rules may range from very simple to extremely complex, but scientists operate on the belief that the rules can be discovered by careful, systematic study.

From time to time, major shifts occur in the scientific view of how the world works. More often, however, the changes that take place in the body of scientific knowledge are small modifications of prior knowledge. Change and continuity are persistent features of science.

No matter how well one theory fits observations, a new theory might fit them just as well or better, or might fit a wider range of observations. In science, the testing, revising, and occasional discarding of theories, new and old, never ends. This ongoing process leads to an increasingly better understanding of how things work in the world but not to absolute truth. Evidence for the value of this approach is given by the improving ability of scientists to offer reliable explanations and make accurate predictions.

Scientific Inquiry

Investigations are conducted for different reasons, including to explore new phenomena, to check on previous results, to test how well a theory predicts, and to compare different theories.

Hypotheses are widely used in science for choosing what data to pay attention to and what additional data to seek, and for guiding the interpretation of the data (both new and previously available).

Sometimes, scientists can control conditions in order to obtain evidence. When that is not possible for practical or ethical reasons, they try to observe as wide a range of natural occurrences as possible to be able to discern patterns.

			Emergence of new ways of looking at energy use and ways to meet the needs of society		
			Advent of the concept of "Energy Services" and why it was so important		
				The Home Energy Saver simulation model is a virtual laboratory for testing how the energy use in a home responds to changes in the physical characteristics and operation of that home	
				Using HES, various hypotheses can be tested about how to reduce energy use of a home.	

In the short run, new ideas that do not mesh well with mainstream ideas in science often encounter vigorous criticism. In the long run, theories are judged by how they fit with other theories, the range of observations they explain, how well they explain observations, and how effective they are in predicting new findings.

New ideas in science are limited by the context in which they are conceived; are often rejected by the scientific establishment; sometimes spring from unexpected findings; and usually grow slowly, through contributions from many investigators.

The Scientific Enterprise

The early Egyptian, Greek, Chinese, Hindu, and Arabic cultures are responsible for many scientific and mathematical ideas and technological inventions.

Modern science is based on traditions of thought that came together in Europe about 500 years ago. People from all cultures now contribute to that tradition.

Progress in science and invention depends heavily on what else is happening in society, and history often depends on scientific and technological developments.

Science disciplines differ from one another in what is studied, techniques used, and outcomes sought, but they share a common purpose and philosophy, and all are part of the same scientific enterprise. Although each discipline provides a conceptual structure for organizing and pursuing knowledge, many problems are studied by scientists using information and skills from many disciplines. Disciplines do not have fixed boundaries, and it happens that new scientific disciplines are being formed where existing ones meet and that some subdisciplines spin off to become new disciplines in their own right.

Current ethics in science hold that research involving human subjects may be conducted only with the informed consent of the subjects, even if this constraint limits some kinds of potentially important research or influences the results. When it comes to participation in research that could pose risks to society, most scientists believe that a decision to participate or not is a matter of personal ethics rather than professional ethics.

		For centuries, energy was seen to be a means to an end (i.e. quality of life). Efficient use of energy decouples energy consumption from quality of life.		
		Energy efficiency was once seen as an important solution to the energy problem.		
		Flame-based light was a major innovation, but it has since been usurped by newer technologies.		
	Roots of geometry			
		Societal problems arising from the cost and use of energy inspired new thinking.		
	<-----	(Interdisciplinary themes run through the exercises)	----->	

Scientists can bring information, insights, and analytical skills to bear on matters of public concern. Acting in their areas of expertise, scientists can help people understand the likely causes of events and estimate their possible effects. Outside their areas of expertise, however, scientists should enjoy no special credibility. And where their own personal, institutional, or community interests are at stake, scientists as a group can be expected to be no less biased than other groups are about their perceived interests.

The strongly held traditions of science, including its commitment to peer review and publication, serve to keep the vast majority of scientists well within the bounds of ethical professional behavior. Deliberate deceit is rare and likely to be exposed sooner or later by the scientific enterprise itself. When violations of these scientific ethical traditions are discovered, they are strongly condemned by the scientific community, and the violators then have difficulty regaining the respect of other scientists.

Funding influences the direction of science by virtue of the decisions that are made on which research to support. Research funding comes from various federal government agencies, industry, and private foundations.

2. THE NATURE OF MATHEMATICS

Patterns and Relationships

Mathematics is the study of any patterns or relationships, whereas natural science is concerned only with those patterns that are relevant to the observable world. Although mathematics began long ago in practical problems, it soon focused on abstractions from the material world, and then on even more abstract relationships among those abstractions.

As in other sciences, simplicity is one of the highest values in mathematics. Some mathematicians try to identify the smallest set of rules from which many other propositions can be logically derived.

Theories and applications in mathematical work influence each other. Sometimes a practical problem leads to the development of new mathematical theories, often mathematics developed for its own sake turns out to have practical applications.

New mathematics continues to be invented, and connections between different parts of mathematics continue to be found.

Mathematics, Science, and Technology

Mathematical modeling aids in technological design by simulating how a proposed system would theoretically behave.

Mathematics and science as enterprises share many values and features: belief in order, ideals of honesty and openness, the importance of criticism by colleagues, and the essential role played by imagination.

Mathematics provides a precise language for science and technology—to describe objects and events, to characterize relationships between variables, and to argue logically.

	The Greenhouse Effect and Global Warming. The role of science: unsolicited deception by "naysayers"			
	Why do a handful of "naysayers" have almost equal weight to thousands of other scientists in the popular media?			
			The history of government funding for energy technologies reflects national and political priorities.	
	Discussion of the role of math and science in the "climate change debate"	The concept of "energy services" was accepted, but with difficulty.	A variety of exercises using the HES simulation model.	
	Using the "carbon bubble" to give life to large, abstract numbers	Using math to compare seemingly dissimilar systems and technologies	Analysis of simulation results.	Economic analysis contributes to the evaluation of technology options.